



ALUMINUM BARRIER SYSTEM

SKU: 45500

- Price per metre
- · Straight version
- Internal T-connector
- Round profile
- Length per element: 2.50 m
- Different total lengths available

PRODUCT DESCRIPTION

STRAIGHT ALUMINUM BARRIER SYSTEM

The aluminum **barrier system** is suitable for installing additional barrier advertising elements (available as accessories). The system is very robust and quick to install. With its high **weather resistance** the system convinces on many sports facilities worldwide! The barrier has the following features:

- Made of anodized aluminum
- Internal T-connectors
- 4 rubber seals per post for expansion compensation
- 1.50 m post length, 2.50 m spar length
- Round post and rail profile with 60 mm diameter and 3 mm wall thickness
- Worked without burrs, protected against creeping water
- Start and end points are formed by 90° elbows

Important notes: Price is per metre. Due to the element length of 2.50 m, the minimum

CONTACT



length of the barrier is 2.50 m. Please use the request function for an individual offer of the aluminium barrier system in your preferred length!

Example length:

- 50 m: 20 barrier rails (each 2.50 m long), 21 posts, incl. T-connectors
- 100 m: 40 barrier rails (each 2.50 m long), 41 posts, incl. T-connectors
- 200 m: 80 barrier rails (each 2.50 m long), 81 posts, incl. T-connectors

Please also inform yourself further about our <u>barriers with advertising</u> or our <u>ball stop</u> <u>systems!</u>



Material Aluminum

Profile Round profile 60 mm

Wall Thickness 3 mm

Model Straight, Internal T-Connector

Color / Surface Silver