



MINI GOAL MADE OF ALUMINUM 2.40 X 1.60 M

SKU: 30947

- Fully welded
- · Color: natural aluminum
- · Closed back frame
- Oval profile
- · without anti-tip protection

PRODUCT DESCRIPTION

FULLY WELDED ALUMINUM MINI GOAL WITH CLOSED BACK FRAME

The **mini goal made of aluminum** has a dimension of $2.40 \times 1.60 \text{ m}$ and is made of thick-walled profiles. The goal frame is made of an oval profile (100 x 120 mm) and the ground frame is made of a square profile (50 x 50 mm).

Sturdy mini goal made of aluminum

The mini goal made of aluminum is **completely welded in one piece** and reinforced several times. This goal is manufactured in the highest quality exclusively in Germany and offers exceptional stability and durability due to its robust construction. The closed back construction with very robust aluminum profiles guarantees an extreme longevity. **TÜV-tested** (TÜV - German Association for Technical Inspection), this goal complies with the currently valid FIFA and DFB (German Football Association) requirements as well as the applicable safety regulations.

Fr 8:00 - 15:00 Uhr



Mini goal made of aluminum 2.40 x 1.60 m of the premium class, highest quality at a favorable price! Personal customer service, fast and reliable delivery, excellent service!

Important note: Mobile goals must be secured against tipping! If the mini goals should remain mobile, our <u>weights with wheels</u> are suitable to prevent them from tipping over. These are already integrated into the <u>Mini goal PROTECTOR</u>. The gates are permanently anchored in the ground using <u>earth anchor ground sleeves</u>.

Aluminum mini goals directly from the manufacturer

In addition to the aluminum mini goal, we have other goals in our program: Whether soccer goals, training goals, youth goals or recreational goals - there is a suitable goal for everyone! Please feel free to get more information about our different goals.

Elf Stücken 33 · 49324 Melle



Goal Size 2.40 x 1.60 m

Goal projection top 42.5 cm

Goal projection bottom 50 cm

Ground Frame Profile Square Profile 50 x 50 mm

Goal frame profile Oval profile 100 x 120 mm

Fully Welded Model

Rear end Closed

Color / Surface Natural Aluminum

Product Line Premium

Certification Mark TÜV tested

Without Tip Safety **Anti-tipping**