



POLE VAULT LANDING AREA GOLD WITH SLATTED FRAME

SKU: 21213-GL

- With intermediate base
- Double hollow chamber system
- Non-slip underfloor

PRODUCT DESCRIPTION

POLE VAULT LANDING AREA GOLD WITH SLATTED FRAME FROM ARTEC®

The pole vault landing area GOLD with slatted frame is characterized by the following features:

- Depending on the size, the landing area can be used for different jump heights (7 x 5 m: up to 4 m jump height; 8 x 6 m: up to 6.25 m jump height)
- · With PE slatted frame
- Double hollow chamber system RG 23
- Hollow chamber blocks individually covered
- Intermediate base
- Non-slip underfloor
- Spike protection with slidable mesh fabric
- Wear mat made of firm PUR foam RG 20
- Mat cover with carabiner quick release fastener
- · With integrated air softening strip



The landing area measuring 8×6 m is certified by **World Athletics**. The pole vault mat 12×6 m can be jumped on from both sides.

In order to protect the jumping mat from external weather influences, we recommend a <u>support platform</u>, a <u>rain cover</u> as well as a <u>safety cover</u>. We also offer an overview of our <u>track and field mats</u> in various designs.



VARIATIONS

Image	SKU	Description	Dimension
	21213-GL		7 x 5 m
	21887-GL		8 x 6 m
	21216-GL		12 x 6 m



Dimension 7 x 5 m, 8 x 6 m, 12 x 6 m

Height 90 cm

Variants GOLD

Slatted Frame With PE slatted frame

Intermediate floor With intermediate floor

Type wear mat Made of PUR foam RG 20

Surface Spike protection mesh

Type blocks Double hollow chamber system RG 23

Mat Cover Made of polyester fabric