



ROBUST MINI GOAL WITH CLOSED BACK

SKU: 30830

- 1.20 x 0.80 m
- Fully welded
- Made of aluminum
- Color: aluminum natural
- without anti-tip protection

PRODUCT DESCRIPTION

ROBUST MINI GOAL, CLOSED BACK FRAME

The **mini goal in the size 1.20 x 0.80 m** has a **closed back frame** made of very robust, recessed aluminum profiles. The goal and ground frames are also made of aluminum. The goal frame consists of a square profile with the dimension 80 x 80 mm and the ground frame of a 50 x 50 mm square profile.

Valuable mini goal

The premium class mini goal is fully welded and reinforced several times. This goal is manufactured in the **highest quality** exclusively in Germany and offers **exceptional stability and durability** due to its robust construction. The closed back construction with very robust aluminum profiles guarantees an extreme longevity. **TÜV-tested** (TÜV - German Association for Technical Inspection), this goal complies with the currently valid FIFA and DFB (German Football Association) requirements as well as the applicable

ARTEC SPORTGERÄTE GMBH

Elf Stücken 33 · 49324 Melle

Office Hours:

Mo - Do 8:00 - 17:00 Uhr

Fr 8:00 - 15:00 Uhr

CONTACT

+49 (0)5422 9470-0

info@artec-sportgeraete.de

safety regulations.

Robust mini goal with closed back frame (1.20 x 0.80 m), highest quality at a reasonable price, made in Germany! Personal customer service, fast and reliable delivery, excellent service! Mini goals directly from the manufacturer are available from us!

Important note: Mobile goals must be secured against tipping! If the mini goals should remain mobile, our [weights with wheels](#) are suitable to prevent them from tipping over. The gates are permanently anchored in the ground using [earth anchor ground sleeves](#).

Mini goals and sports equipment in best quality

In addition to robust mini goals with open or closed backs, we have other goals in our program: Whether large field goals 7.32 x 2.44 m, soccer training goals, youth goals or recreational goals - there is a suitable goal for everyone! Please feel free to get more information about our different goals.

Goal Size	1.20 x 0.80 m
Goal projection top	42.5 cm
Goal projection bottom	50 cm
Ground Frame Profile	Square Profile 50 x 50 mm
Goal frame profile	Square profile 80 x 80 mm
Model	Fully Welded
Rear end	Closed
Color / Surface	Natural Aluminum
Product Line	Premium
Certification Mark	TÜV tested
Anti-tipping	Without Tip Safety