



## SOCCER MINI GOAL 1.80 X 1.20 M

SKU: 30935

- Closed back frame
- Made of aluminum
- Fully welded
- Color: natural aluminum
- Oval profile
- without anti-tip protection

### PRODUCT DESCRIPTION

#### SOCCER MINI GOAL 1.80 X 1.20 M, FULLY WELDED

The soccer mini goal in the size of 1.80 x 1.20 comes with a **closed back frame** made of very robust, recessed aluminum profiles. The goal and ground frames are also made of thick-walled profiles: The goal frame is made of an oval profile 100 x 120 mm, while the ground frame is made of a square profile 50 x 50 mm.

**Important note:** Mobile goals must be secured against tipping! If the mini goals should remain mobile, our [weights with wheels](#) are suitable to prevent them from tipping over. These are already integrated into the [Mini Goal PROTECTOR](#). The gates are permanently anchored in the ground using [earth anchor ground sleeves](#).

#### Stable soccer mini goal

The premium class mini goal is **fully welded** and reinforced several times. This goal is manufactured in Germany and offers **exceptional stability and durability** due to its robust

construction. The closed back construction with very robust aluminum profiles guarantees extreme durability. **TÜV-tested** (TÜV - German Association for Technical Inspection), this goal complies with the currently valid FIFA and DFB (German Football Association) requirements as well as the applicable safety regulations.

**Soccer mini goal (1.80 x 1.20 m)** of the premium class with closed back frame and oval profile, made in Germany! Mini goals directly from the manufacturer are available from us!

### **Secure mini goals directly from the manufacturer**

In addition to the mini goal in the size 1.80 x 1.20 m, we have other goals in our program: Whether soccer goals, training goals, youth goals or recreational goals - there is the perfect goal for every purpose! Please feel free to inform yourself further about our different goals.

<b>Goal Size</b>	1.80 x 1.20 m
<b>Goal projection top</b>	42.5 cm
<b>Goal projection bottom</b>	50 cm
<b>Ground Frame Profile</b>	Square Profile 50 x 50 mm
<b>Goal frame profile</b>	Oval profile 100 x 120 mm
<b>Model</b>	Fully Welded
<b>Rear end</b>	Closed
<b>Color / Surface</b>	Natural Aluminum
<b>Product Line</b>	Premium
<b>Certification Mark</b>	TÜV tested
<b>Anti-tipping</b>	Without Tip Safety