



SOCCER MINI GOAL 1.80 X 1.20 M

SKU: 30935

- Closed back frame
- Made of aluminum
- Fully welded
- Color: natural aluminum
- Oval profile
- without anti-tip protection

PRODUCT DESCRIPTION

SOCCER MINI GOAL 1.80 X 1.20 M, FULLY WELDED

The soccer mini goal in the size of 1.80 x 1.20 comes with a **closed back frame** made of very robust, recessed aluminum profiles. The goal and ground frames are also made of thick-walled profiles: The goal frame is made of an oval profile 100 x 120 mm, while the ground frame is made of a square profile 50 x 50 mm.

Important note: Mobile goals must be secured against tipping! If the mini goals should remain mobile, our [weights with wheels](#) are suitable to prevent them from tipping over. These are already integrated into the [Mini Goal PROTECTOR](#). The gates are permanently anchored in the ground using [earth anchor ground sleeves](#).

Stable soccer mini goal

The premium class mini goal is **fully welded** and reinforced several times. This goal is manufactured in Germany and offers **exceptional stability and durability** due to its robust

construction. The closed back construction with very robust aluminum profiles guarantees extreme durability. **TÜV-tested** (TÜV - German Association for Technical Inspection), this goal complies with the currently valid FIFA and DFB (German Football Association) requirements as well as the applicable safety regulations.

Soccer mini goal (1.80 x 1.20 m) of the premium class with closed back frame and oval profile, made in Germany! Mini goals directly from the manufacturer are available from us!

Secure mini goals directly from the manufacturer

In addition to the mini goal in the size 1.80 x 1.20 m, we have other goals in our program: Whether soccer goals, training goals, youth goals or recreational goals - there is the perfect goal for every purpose! Please feel free to inform yourself further about our different goals.

Goal Size	1.80 x 1.20 m
Goal projection top	42.5 cm
Goal projection bottom	50 cm
Ground Frame Profile	Square Profile 50 x 50 mm
Goal frame profile	Oval profile 100 x 120 mm
Model	Fully Welded
Rear end	Closed
Color / Surface	Natural Aluminum
Product Line	Premium
Certification Mark	TÜV tested
Anti-tipping	Without Tip Safety